WEED RESEARCH

Vol. 26 No. 1 **February 1986**

P. C. LOLAS. Weed community interference in burley and orental tobacco (*Nicotiana tabacum* L.) 1

R. P. A. UNAMMA, L. S. O. ENE, S. O. ODURUKWE and T. ENYINNIA. Integrated weed management for cassava intercropped with maize 9

J. SABADIE et C. M. COSTE. Dégradation catalytique de carbamates herbicides déposés sur bentonites homioniques. III. Cas du phenmédiphame et du desmédiphame 19

N. C. B. PETERS. Factors affecting seedling emergence of different strains of *Avena fatua* L. 29

A. ALI, R. D. MCLAREN and V. SOUZA MACHADO. Chloroplastic resistance to triazine herbicides in *Sinapis arvensis* L. (wild mustard) 39

P. L. CURRAN and F. S. MACNAEIDHE. Weed invasion of milled-over bog 45

A. G. T. BABIKER, N. E. IBRAHIM, K. H. ABADI and M. G. MANSI. Effect of application time on herbicidal efficacy of oxidation on cotton in the Sudan Gezira 51

J. P. N. RAI and R. S. TRIPATHI. Population regulation of *Galinsoga ciliata* (Raf.) Blake and *G. parviflora* Cav.: Effect of 2,4-D application at different growth stages and light regimes 59

G. ALBER, G. DEFAGO, H. KERN and L. SEDLAR. Host range of *Puccinia expansa* (Link (= *P. glomerata* Grev.), a possible fungal biocontrol agent against *Senecio* weeds 69

Vol. 26 No. 2 **April 1986**

D. J. ERASMUS and J. VAN STADEN. Germination of *Chromolaena odorata* (L.) K. & R. achenes: effect of temperature, imbibition and light 75

M. E. KURTZ. Control of *Sorghum halepense* (L.) Pers. in cotton with post-emergence herbicides and trifluralin 83

D. J. DOOHAN, T. J. MONACO, T. J. SHEETS and R. B. LEIDY. Residues and efficacy of fluazifop-butyl in strawberries 89

MARIA L. ROSA et FRANÇOISE CORBINEAU. Quelques aspects da la germination des caryopses de *Leersia oryzoides* (L.) Sw. 99

C. R. MERRITT, B. O. BARTLETT and D. F. WYATT. Interaction of ioxynil and mecoprop when applied to *Stellaria media* (L.) Vill. 105

R. P. A. UNAMMA and A. A. MELIFONWU. Herbicides for 'seed' yam production from 'minisetts' in the rainforest zone of Nigeria 115

R. E. DANIELS. Studies in the growth of *Pteridium aquilinum* (L.) Kuhn (bracken). 2. Effects of shading and nutrient application 121

G. O. IREMIREN. Effects of time and frequencies of weeding on the growth of polybag oil palm (*Elaeis guineensis* Jacq.)seedlings 127

A. G. T. BABIKER and M. K. AHMED. Chemical weed control in transplanted onion (*Allium cepa* L.) in the Sudan Gezira 133

J. P. N. R. CHANDRASENA and G. R. SAGAR. Some factors affecting the performance of fluazifop-butyl agair.st *Elymus repens* (L.) Gould (= *Agropyron repens* (L.) Beauv.) 139

Erratum 149

WEED RESEARCH

Vol. 26 No. 1 **February 1986**

P. C. LOLAS. Weed community interference in burley and orental tobacco (*Nicotiana tabacum* L.) 1

R. P. A. UNAMMA, L. S. O. ENE, S. O. ODURUKWE and T. ENYINNIA. Integrated weed management for cassava intercropped with maize 9

J. SABADIE et C. M. COSTE. Dégradation catalytique de carbamates herbicides déposés sur bentonites homioniques. III. Cas du phenmédiphame et du desmédiphame 19

N. C. B. PETERS. Factors affecting seedling emergence of different strains of *Avena fatua* L. 29

A. ALI, R. D. MCLAREN and V. SOUZA MACHADO. Chloroplastic resistance to triazine herbicides in *Sinapis arvensis* L. (wild mustard) 39

P. L. CURRAN and F. S. MACNAEIDHE. Weed invasion of milled-over bog 45

A. G. T. BABIKER, N. E. IBRAHIM, K. H. ABADI and M. G. MANSI. Effect of application time on herbicidal efficacy of oxidation on cotton in the Sudan Gezira 51

J. P. N. RAI and R. S. TRIPATHI. Population regulation of *Galinsoga ciliata* (Raf.) Blake and *G. parviflora* Cav.: Effect of 2,4-D application at different growth stages and light regimes 59

G. ALBER, G. DEFAGO, H. KERN and L. SEDLAR. Host range of *Puccinia expansa* (Link (= *P. glomerata* Grev.), a possible fungal biocontrol agent against *Senecio* weeds 69

Vol. 26 No. 2 **April 1986**

D. J. ERASMUS and J. VAN STADEN. Germination of *Chromolaena odorata* (L.) K. & R. achenes: effect of temperature, imbibition and light 75

M. E. KURTZ. Control of *Sorghum halepense* (L.) Pers. in cotton with post-emergence herbicides and trifluralin 83

D. J. DOOHAN, T. J. MONACO, T. J. SHEETS and R. B. LEIDY. Residues and efficacy of fluazifop-butyl in strawberries 89

MARIA L. ROSA et FRANÇOISE CORBINEAU. Quelques aspects da la germination des caryopses de *Leersia oryzoides* (L.) Sw. 99

C. R. MERRITT, B. O. BARTLETT and D. F. WYATT. Interaction of ioxynil and mecoprop when applied to *Stellaria media* (L.) Vill. 105

R. P. A. UNAMMA and A. A. MELIFONWU. Herbicides for 'seed' yam production from 'minisetts' in the rainforest zone of Nigeria 115

R. E. DANIELS. Studies in the growth of *Pteridium aquilinum* (L.) Kuhn (bracken). 2. Effects of shading and nutrient application 121

G. O. IREMIREN. Effects of time and frequencies of weeding on the growth of polybag oil palm (*Elaeis guineensis* Jacq.)seedlings 127

A. G. T. BABIKER and M. K. AHMED. Chemical weed control in transplanted onion (*Allium cepa* L.) in the Sudan Gezira 133

J. P. N. R. CHANDRASENA and G. R. SAGAR. Some factors affecting the performance of fluazifop-butyl agair.st *Elymus repens* (L.) Gould (= *Agropyron repens* (L.) Beauv.) 139

Erratum 149

Vol. 26 No. 3 **June 1986**

M. K. Marks and A. C. Nwachuku. Seed-bank characteristics in a group of tropical weeds 151
A. Tanji et C. Boulet. Diversité floristique et biologie des adventices de la région du Tadla (Maroc) 159
S. B. Powles. Appearance of a biotype of the weed, *Hordeum glaucum* Steud., resistant to the herbicide paraquat 167
A. R. Harradine. Seed longevity and seedling establishment of *Bromus diandrus* Roth 173
I. F. Souza and J. L. Williams. Chloroform-soluble fraction from soyabean (*Glycine max* (L.) Merr.) leaves following herbicide applications 181
J. M. Baskin, Carol C. Baskin and J. C. Parr. Field emergence of *Lamium amplexicaule* L. and *L. purpureum* L. in relation to the annual seed dormancy cycle 185
A. L. P. Cairns and O. T. de Villiers. Breaking dormancy of *Avena fatua* L. seed by treatment with ammonia 191
F. Forcella and Helen Wood. Demography and control of *Cirsium vulgare* (Savi) Ten. in relation to grazing 199
J. C. Streibig. Joint action of some root-absorbed herbicides in oat (*Avena fatua* L.) 207
Susan E. Weaver. Factors affecting threshold levels and seed production of jimsonweed (*Datura stramonium* L.) in soyabeans (*Glycine max* (L.) Merr.) 215
Erratum 225

Vol. 26 No. 4 **August 1986**

J. M. Whipps and M. P. Greaves. Effect of mecoprop on plant growth and distribution of photosynthate in wheat (*Triticum aestivum* L.) seedlings 227
P. C. Bernasor and S. K. de Datta. Chemical and cultural control of bulrush (*Scirpus maritimus* L.) and annual weeds in lowland rice (*Oryza sativa* L.) 233
S. Glenn, R. S. Peregoy, B. J. Hook, J. B. Heimer and T. Wiepke. *Sorghum halepense* (L.) Pers. control with foliar-applied herbicides in conventional and no-tillage soyabeans 245
H. A. Roberts and R. J. Chancellor. Seed banks of some arable soils in the English midlands 251
W. Hurtt and R. B. Taylorson. Chemical manipulation of weed emergence 259
W. L. Weerakoon and J. V. Lovett. Studies of *Salvia reflexa* Hornem. III. Factors controlling germination 269
W. L. Weerakoon and J. V. Lovett. Studies of *Salvia reflexa* Hornem. IV. Effects of watering frequency, drought and nutrient supply on growth and development 277
W. L. Weerakoon and J. V. Lovett. Studies of *Salvia reflexa* Hornem. V. Competition from crop and pasture species 283
G. Barralis, R. Chadoeuf et J.-P. Gouet. Essai de détermination de la taille de l'échantillon pour l'étude du potentiel semencier d'un sol 291
Z. Soufi et P. Daget. Les mauvaises herbes de Syrie 299

Vol. 26 No. 5 **October 1986**

L. P. Mabb and C. E. Price. Fluazifop-butyl activity on *Imperata cylindrica* (L.) P. Beauv. 1. Studies on phytotoxicity, spray adhesion and herbicide uptake 301
S. W. Gawronski, L. C. Haderlie, R. H. Callihan and Helena Gawronska. Mechanism of metribuzin tolerance: herbicide metabolism as a basis for tolerance in potatoes 307

J. Sabadie et C. M. Coste. Dégradation catalytique de carbamates herbicides deposés sur bentonites homoïoniques. IV. Cas du carbetamide 315
T. K. Van, K. K. Steward and A. O. Jones. Evaluation of two controlled-release 2,4-D formulations for control of *Myriophyllum spicatum* L. 325
B. Rubin and Y. Demeter. Dipropetryn absorption during germination by cucurbit seeds and its influence on seedling growth 333
G. H. Friesen and W. O. Chubb. Effect of incorporation method and soil type on selectivity of metribuzin in sunflower (*Helianthus annuus* L.) 341
F. X. Schubiger, G. Défago, H. Kern and L. Sedlar. Damage to *Rumex crispus* L. and *Rumex obtusifolius* L. caused by the rust fungus *Uromyces rumicis* (Schum.) Wint. 347
F. Forcella, J. T. Wood and S. P. Dillon. Characteristics distinguishing invasive weeds within *Echium* (Bugloss) 351
A. L. P. Cairns and O. T. de Villiers. Physiological basis of dormancy-breaking in wild oat (*Avena fatua* L.) seed by ammonia 365

Vol. 26 No. 6 **December 1986**

J. M. Baskin and Carol C. Baskin. Temperature requirements for after-ripening in seeds of nine winter annuals 375
S. I. Warwick, D. Phillips and C. Andrews. Rhizome depth: the critical factor in winter survival of *Sorghum halepense* (L.) Pers. (Johnson grass) 381
S. C. Gifford, H. A. Collin and P. D. Putwain. Enhancement of asulam resistance in barley 389
E. S. Leguizamón. Seed survival and patterns of seedling emergence in *Sorghum halepense* (L.) Pers. 397
A. H. Cheam. Seed production and seed dormancy in wild radish (*Raphanus raphanistrum* L.) and some possibilities for improving control 405
T. Fernando, G. Bean and S. Glenn. Effect of atrazine on growth, production of aflatoxin, and fatty acid and sterol biosynthesis by *Aspergillus* spp. 415
F. B. Holl, S. A. Tritter and B. G. Todd. Distribution of diclofop-methyl and metabolites in oat (*Avena sativa* L.) protoplasts 421
D. M. Simmons and P. W. Flint. Variation in *Chrysanthemoides monilifera* (Compositae) in eastern Australia 427
V. G. Breeze and L. D. Timms. Some effects of low doses of the phenoxyalkanoic herbicide mecoprop on the growth of oilseed rape (*Brassica napus* L.) and its relation to spray drift damage 433
Glossary of Common Names and Abbreviations of Herbicides 441
Author Index to Volume 26 447